

RED BRAND

- GALVANNEALED® for lasting protection against rust
- COPPER-BEARING WIRE adds vears of extra service
- EASY TO ERECT over all terrain
- WIRE STAYS TAUT against all livestock abuse

the only fence line that sells on sight!

RED BRAND STOCK and FIELD FENCE

Fulfills most farm and ranch needs. Choose the height, spacing and weight of wire required by type of livestock. 55-inch fence gives neat appearance with maximum protection. 47-inch fence, preferred by cattlemen, gives full animal protection—needs only one strand barbed wire to keep cattle from pushing over top. 39-inch fence, with two strands of barbed wire, is easier to handle and stretch. Packed in 20-rod rolls.


Mesh: 6 or 12 inches between stay wires. Gauge: 9, 11, 12½ and 14½ gauge steel fillers. Knots: Made with both Stiff-Stay (Square Deal®) or Hinge Joint (Monarch®) knots.

RED BRAND HOG and FIELD FENCE

An all-purpose livestock fence, especially suitable for hog and field enclosures. Available in heights, mesh sizes and weights to fit individual needs. Heavier gauge wire is best for permanent fence around buildings and smaller lots. Lighter gauge fence handles easily for temporary fence. Stiff-Stay knots help fence adjust to uneven ground. Six-inch stay wire spacing is recommended where fence strains may be great or to turn small livestock.

Heights: 26 and 32 inches. Mesh: 6 or 12 inches between stay wires. Gauge: 9, 11, 12½ and 14½ gauge stock fillers. Heavier top and bottom wire for each. Knots: Stiff-Stay (Square Deal) or Hinge Joint (Monarch). 20-rod rolls.





RED BRAND barbed wire

Features the famous Red Brand quality. The red barbs, as well as the copper-bearing wire, are Galvannealed to provide cost-cutting service. Easy to erect.



No. 50-Defender-No. 121/2-gauge strands; No. 14-gauge barbs 4" apart. 80 rod-2 pt .-78.9 lbs.



No.80-Ruthless-No.121/2-gauge strands; No. 14-gauge barbs 5" apart. 80 rod-4 pt. -86.4 lbs.



No. 70-Arrow-No. 14-gauge strands; No. 16-gauge barbs 4' apart. 80 rod-2 pt.-51 lbs.



No. 60—Hawthorn—No. 12½-gauge strands; No. 14-gauge barbs 4" apart. 80 rod—2 pt.



No. 90-Kickapoo-No. 12½-gauge strands; No. 14-gauge barbs 5" apart. 80 rod-4 pt.-79.6 lbs.



No. 100-2 Ply Twisted Cable-No. 12½-gauge wire without barbs. 80 rod—70.5 lbs.

NO. 92-KICKAPOO

No. 12½ -gauge strands; No. 14-gauge half-round barbs 4" apart. 80 rod-2 pt.-76.2 lbs.

NO. 55-ECONOMY

No. 131/2 -gauge strands; 14-gauge barbs 4" apart. 80 rod—2 pt.—63 lbs.

NO. 85—ECONOMY

No. 131/2 -gauge strands, high tensile; 14gauge barbs 5" apart. 80 rod-4 pt.-71 lbs.




RED TOP POSTS

These good-looking posts are made of tough, resilient rail steel, T-shaped for added strength. Two heavy coats of paint, bakedon, give a bright aluminum finish that stops rust. The post is held securely in the ground by an easily-driven anchor plate. Posts are easy to set and move. Angle end and corner, tubular end and corner, punched angle and channel posts available.

Weights

	6 ft8.65 lbs. 6½ ft9.32 lbs.	7 ft9.98 lbs. 7½ ft10.65 lbs. 8 ft11.31 lbs.
--	---------------------------------	--

Order by heights. Shipped 5 posts to bundle, 5 fasteners per post. Extra fasteners available on request.



RED BRAND SPIRAL FENCE STAYS

These easy-to-attach stays distribute shocks and strains throughout barbed wire fence. They keep the fence trim and serviceable. Made of No. 91/2 -gauge Galvannealed wire. Sizes two to five feet long, 100 to bundle.

KEYLINE POULTRY NETTING

No bag, no bulge, no buckling! The horizontal "keylines" take the stretch. The bottom wire hugs the ground and the top wire is straight and true. Only Keyline netting stretches-up tight. The "keylines" make the difference.

Comes in 12, 18, 24, 36, 48, 60 and 72 inch heights, one and two inch mesh, 20 gauge wire. Heavy-duty poultry netting also available in 11/2" x 17 ga., 11/2" x 18 ga. and 1" x 18 ga. styles.




KEYSTONE STEEL & WIRE COMPANY

Peoria, 7, Illinois

the KEYSTONE complete line of

lawn products



KEYSTONE NON-CLIMBABLE FENCE

For low cost in contemporary design, made of copperbearing wire, galvannealed to last for ages. Unique Square Deal knots hold the wires without slipping, yet allow flexibility in erection. The 2" x 4" style is especially strong, tight, and secure—the best yard fence you can buy for safe, beautiful boundaries.

The versatile 2" x 2" style is ideal for partitions, playgrounds, guards, pen bottoms—wherever close mesh is needed.


KEYSTONE ORNAMENTAL FENCE

A beautiful lawn fence of bright, heavily galvanized fabric. Low in cost and easy to erect. The crimped wire is symmetrically curved along the top of fence for added beauty. Styles K and KL fence have pickets spaced three inches wide at top and one and one-half inches at bottom, with wire curved in center of fence. Pickets of Styles L and LL are spaced three inches apart at top and bottom.

Order by Style and Height. Specify 100 or 165-foot rolls.

NON-CLIMBABLE FENCE Weights in pounds per 100 feet


Height (inches) 11 Gauge 2"x4" Mesh 12½ Gauge 2"x2" Mesh 14 Gauge 2"x2" Mesh 16 Gauge 2"x2" Mesh 24 56 33 36 141 94 82 49 40 155 103 48 184 122 108 64 60 228 151 134 79 72 271 179 160 95 84 314 208						_
36 141 94 82 49 40 155 103 48 184 122 108 64 60 228 151 134 79 72 271 179 160 95		11 Gauge 2"x4" Mesh	12½ Gauge 2"x4" Mesh	14 Gauge 2"x2" Mesh		
40 155 103 48 184 122 108 64 60 228 151 134 79 72 271 179 160 95	24			56	33	
48 184 122 108 64 60 228 151 134 79 72 271 179 160 95	36	141	94	82	49	
60 228 151 134 79 72 271 179 160 95	40	155	103			
72 271 179 160 95	48	184	122	108	64	
12 211	60	228	151	134	79	
84 314 208	72	271	179	160	95	
	84	314	208			



STYLES K and KL

ORNAMENTAL FENCE Dimensions and Weights—Heavy and Light Styles

Gauge		Gauge of	Weight per 100 feet		
Style	of Pickets	Twisted Cables	36" high 7 cables	42" high 8 cables	48" high 9 cables
K	9½	13	144 lbs.	161 lbs.	183 lbs.
KL	11	13	119 lbs.	132 lbs.	145 lbs.
L	9½	13	107 lbs.	124 lbs.	136 lbs.
LL	11	13	89 lbs.	97 lbs.	110 lbs.




STYLES L and LL

ORNAMENTAL FLOWER BED BORDER


Adds beauty to the garden. Simply push pickets into ground—no posts are needed. Pickets are 9½-gauge, copper-bearing Brite Galvanized wire. 100 or 165-foot rolls. Order by height, specifying length of roll desired.


Approx. Weights Per 100-Foot

Standard	Light	
16 inch57 pounds	16 inch46 pounds	
22 inch74 pounds	22 inch58 pound	



Non-Climbable, Ornamental and Square Deal gates come in standard sizes or tailor-made to fit any opening. Walk and drive gates available. Ornamental gates are furnished with or without scroll top. Equipment includes spring latch and hinges for use with wood posts. Fittings for tubular or angle posts on order.





Ornamental Walk Gates—Sizes and Weights				
Height	3 ft.	3½ ft.	4 ft.	5 ft. width
3 ft.	22 lbs.	24 lbs.	26 lbs.	28 lbs.
31/2 ft.	24 lbs.	26 lbs.	28 lbs.	30 lbs.
4 ft.	26 lbs.	28 lbs.	30 lbs.	32 lbs.

Height	8 ft.	10 ft.	12 ft.	14 ft.	16 ft. width
3 ft.	56 lbs.	66 lbs.	76 lbs.	86 lbs.	96 lbs.
31/2 ft.	59 lbs.	70 lbs.	81 lbs.	92 lbs.	103 lbs.
4 ft.	62 lbs.	74 lbs.	86 lbs.	98 lbs.	110 lbs.

Double Drive Gate Specifications Available.

Square Deal Gates—Sizes and Weights

Walk		Drive	
Size	Weight	Size	Weight
3 x 3	15 lbs.	4 x 8	50 lbs.
3 x 3½	16 lbs.	4 x 10	58 lbs.
3½ x 3	16 lbs.	4 x 12	66 lbs.
31/2 x 31/2	18 lbs.	4½ x 10	61 lbs.
4 x 3	17 lbs.	4½ x 12	69 lbs.
4 x 31/2	19 lbs.	4½ x 14	83 lbs.
4 x 4	20 lbs.	4½ x 16	92 lbs.




RED TOP® POSTS

Provide secure support for Non-Climbable and Ornamental Fence, in addition to other types of fencing. Good-looking Red Top posts are made of tough, resilient rail steel. Two heavy coats of paint, baked on, give a bright aluminum finish that resists rust. Posts are easy to set.

Red Top Posts-Weights

5 ft7.32 lbs.	6 ft8.65 lbs.	7 ft 9.98 lbs.
5½ ft7.99 lbs.	6½ ft9.32 lbs.	7½ ft10.65 lbs.
		8 ft11.31 lbs.

Order by heights. Shipped 5 posts to bundle, 5 fasteners per post. Extra fasteners available on request.



KEYWELD® Galvanized Fabric

A prefabricated welded wire fabric made from full gauge galvanized copper-bearing wire. Unexcelled as a general all-purpose fabric. Use it for bottoms of turkey pens, dog kennels, corn cribbing, side panels for sorting poultry and stock, livestock shade panels, partitions in tool sheds, temporary pens, window guards—and many other varied applications. Available in all popular styles.



KEYSTONE NAILS

Keystone features a complete line of nails available in standard and non-stock sizes, including these specialties: Keystone Furring, Ring Shank and Drive Screw Nails. Galvanized finish, blued or cement-coated. Nails are packed in easy-to-handle 50-lb. or 100-lb. cartons.

KEYSTONE STEEL & WIRE COMPANY

Peoria 7, Illinois